

Government of West Bengal
Office of the Chief Medical Officer of Health
District Health and Family Welfare Samiti
Lalbagh: Cooch Behar
Tel: 228874(03582) Fax: 228966
E-mail: cmoh.cbr@gmail.com

Memo No.: 1139

Date: 18/03/2020

QUOTATION NOTICE


Sealed quotation is invited from reputed firm /agency for supply of various Medical Equipment. Interested parties are requested to submit their quotation in sealed cover addressed to the Chief Medical Officer of Health & Secretary, DH & FW Samiti, Cooch Behar Superscripting "Quotation for various Medical Equipment". Detailed specification of is mentioned below:-

Sl No	Name of the items	Specification	Total Quantity	Max. quoted rate
1.	Cusco's/Graves Speculum vaginal bi-valve medium	Cusco's / graves Speculum Vaginal bi – Valve Medium:- a) Material: Stainless Steel b) Colour: Silver c) Usage/Application: Clinical d) Size : (Medium) 85 x 30 mm e) Precisely designed f) Optimum finish g) Corrosion proof	01 No	240.00
2.	Foreign body hook (ENT)	Foreign Body hook (ENT): a) Categories: Holding Instruments b) Type: Non – Disposable c) Reusable: Yeas d) Color: Silver e) Material: Stainless Steel\ f) Usage: Multiple g) Condition : New	01 No	75.26
3.	Digital Foetal Doppler	FOETAL DOPPLER a) It should be LCD Display (45mm X 22mm or more) b) It should be ultrasonic emitting frequency: 2 – 2.5 MHz and power: < 5m Watt /cm2 c) Overall sensitivity at the distances 120 - 200 mm from the face of the probe: 90db d) Automatic FHR test range 50 – 210 BPM or wider (Beat / Minute) e) Resolution: 1 BPM f) Audio output : 0.5 – 1 Watt g) Should be supplied with electric charger & rechargeable battery (Li – ion) with 1 set of spare battery. h) Good quality water proof case for carrying purpose i) Good quality water proof probe & gel (5 bottles of 200ml or total quantity of 1000ml) should be supplied with the equipment. j) Warranty includes the entire machine including probe. k) Standards, Safety & Training: a) Should be CE (“Conformite Europeene”) from European Union notified body having 4 digit identification number or US FDA certification. Only product enlistment under US FDA will not be accepted. b) Warranty: 2 years; Extended Warranty: 3 year c) On site comprehensive training for field staff and support services till customer satisfaction with the system l) Documentation: a) User / Technical / Maintenance manuals to be supplied in English	01 No	2688.00
4.	Measuring Tape(MUAC)	Measuring Tape (MUAC): a) Mid Upper Arm Circumference Tape - Child. b) MUAC tapes are predominately used to measure the upper arm circumference of children, helping identify malnutrition. c) Flexible & Washable Material. Measuring in cm. Graduation - 1 mm. d) Measuring Up To 30+ cm. e) Made from soft non bearable vinyl sheet. f) Colour Coded: 3-11.5cm (Red), 11.5-12.5cm (Yellow) 12.5 To 30+cm (Green).	01 No	56.00
5.	Measuring Tape(WC)	Measuring Tape (WC): a) Application: Clinic b) Material: Plastic c) Packing Type: Box d) Width: 3 Metre e) Thickness: 9.5 mm	01 No	26.45

Sl No	Name of the items	Specification	Total Quantity	Max. quoted rate
6.	Dental Probe with mirror set	<p>Dental Probe with Mirror set:</p> <p>a) Materials: Made of High Quality Medical Grade Stainless Steel</p> <p>b) Set consists of: Mouth Mirror with handle, Probe Double Ended; Tweezers</p> <p>c) Mouth mirror: - Concave mirrors used by dentists because at a short range (object distances less than the focal length) they produce magnified, upright images. It is useful to have a magnified image of a tooth when you're looking for or repairing cavities, cracks, or other abnormalities</p> <p>d) Probe:- It is an instrument commonly used in the dental armamentarium. It is usually long, thin, and blunted at the end. The primary purpose of a periodontal probe is to measure pocket depths around a tooth in order to establish the state of health of the periodontium.</p> <p>e) Tweezers:- commonly used for retrieving objects from the mouth or placing objects into the mouth with somewhat similar functions with forceps.</p>	01 No	165.00
7.	Examination Lamp	<p>Examination Lamp:</p> <p>a) Light Source Type : LED</p> <p>b) Light Colour : White</p> <p>c) Usage/Application : Hospital</p> <p>d) Voltage : 200 – 250 V</p> <p>e) Wattage : 8 - 30 W</p> <p>f) Mounded : stand with an iron cast base</p> <p>g) Positioning : Mobile and adjust the size</p> <p>h) Arm : There is a flexible arm for easy movement of the lamp in all directions</p>	01 No	3750.00
8.	Tongue Depressor	<p>Tongue Depressor:</p> <p>a) Materials: Stainless Steel</p> <p>b) Surface Finish: Polished</p> <p>c) Reusable: Yes</p>	01 No	35.00
9.	Mouth Gag	<p>Mouth Gag:</p> <p>a) Material: Stainless Steel</p> <p>b) Weight : upto 80 gm</p> <p>c) Usage/Application: Clinical</p> <p>d) Portable : Yes</p> <p>e) Rust proof</p> <p>f) Highly durable</p> <p>g) Smooth finish</p>	01 No	1120.00
10.	Snellen vision chart	<p>Snellen Vision Chart:</p> <p>a) None reflecting, matte finish eye Charts, Designed for Vision testing at 20 Feet distance.</p> <p>b) Eye Chart measures 24 x 11 in.</p> <p>c) Plastic Washable Sheet.</p> <p>d) Wall Hanging Whole for easy hanging.</p>	01 No	58.00
11.	Near vision chart	<p>Near Vision Chart:</p> <p>a) Notations for vision testing at 40 cm (16 in.)</p> <p>b) Visual Acuity range 8M to .20M (20/200, 6/120 to 20/10, 6/3 equiv.)</p> <p>c) 40 cm (16 in.) cord to maintain proper viewing distance</p> <p>d) Eye Chart Measures 18 X 23 cm (7 X 9 in.)</p>	01 No	54.00
12.	Colour vision chart	<p>Colour Vision Chart:</p> <p>a) 38 Plate test Book.</p> <p>b) Accepted by leading authorities as a simple and accurate method for discovering congenital color blindness and red-green blindness, each in two forms, complete and incomplete.</p> <p>c) Includes four special plates for tests to determine the kind and degree of defect in color vision.</p> <p>d) Makes use of the peculiarity that in red-green blindness, blue and yellow appear remarkably bright compared with red and green.</p> <p>e) Color plates encased in specially designed album-type books for ease of handling. Detailed instructions included.</p>	01 No	368.00
13.	Stadiometer	<p>Stadiometer:</p> <p>a) Height Stand Disassembles Into 4 Sections & Easy To Transport In Disassembled Condition. Suitable For Height Measuring At Any Location</p> <p>b) Accurate, Portable, Durable And Light Weight With All Plastic Parts.</p> <p>c) Height Measuring Scale, Floor Model Without Weighing Scale.</p> <p>d) Measuring Range : 20 – 210Cm With 1Mm Graduation. Measuring In Inches And Centimeters</p>	01 No	1380.00

Sl No	Name of the items	Specification	Total Quantity	Max. quoted rate
14.	Tuning fork	Tuning Fork: a) A tuning fork is a metal instrument with a handle and two prongs or tines. Tuning forks, will vibrate at a set frequency to produce a musical tone when struck. The vibrations produced can be used to assess a person's ability to hear various sound frequencies b) A vibrating tuning fork held next to the ear or placed against the skull will stimulate the inner ear to vibrate, and can help determine if there is hearing loss c) A tuning fork is a metal instrument with a handle and two prongs or tines	01 No	106.60
15.	Weighing Scale, Infant (10kg)	Digital Weighing Scale, Infant (10kg).	01 No	4100.00
16.	Steam Sterilizer (big)	Sterilizing drums, for use in sterilizers and for strong sterilized dressings, improved pattern. Made of extra heavy steel with dome shaped top and bottom and chrome plated, absolutely dust proof, hasps lock the jacket tightly in order 235 in diam X120.65 MM. height.	01 No	1545.00
17.	Spygmomanometer Aneroid 300 mm with cuff.	Spygmomanometer Aneroid 300 mm with cuff.	01 No	1392.00
18.	Stitch Cutting Scissor	Stitch Cutting Scissor.	01 No	243.00
19.	Tooth Forceps	Forceps, dissecting, toothed bonney's (18CM).	01 No	275.00
20.	Suture needle straight-10	Needles, suture, triangular cutting, straight 8 sizes 2,4,6,8,10,12,14,16.	01 No	60.00
21.	Suture needle curved	Needles, suture, triangular cutting, straight 8 sizes 2,4,6,8,10,12,14,16.	01 No	60.00
22.	Artery Forceps, straight, 160mm	Forceps artery moynihans, straight, box joint 16 CM.	01 No	165.00
23.	Digital Thermometer (Infra-red variety)	Digital Thermometer (Infra-red variety).	01 No	72.00
24.	Ambu Bag (Paediatric size) with Baby mask	Bag and mask for artificial respiration (AMBU type) adult & paediatric size.	01 No	1725.00
25.	Nebulizer	Nebulizer with humidifier.	01 No	1563.00
26.	IV canula and Intravenous set	Intravenous cannula (disposable)(Adult) 16G to 22G in peel off sterile packs two way.	01 No	5.07

Last date of submission of quotation is 30/03/2020 before 5.30 PM. Photocopy of trade license, last income tax return and PAN card & GST No must be submitted with the quotation document. Quotation will be opened on 31/03/2020 at 2.00 pm in the chamber of the undersigned.



CMOH & Secretary
Dist. H.& F. W. Samiti, Cooch Behar

Memo No.: 1139/1(6) _ _ _

Date: 18/03/2020

Copy forwarded for information and with the request to hanging the same in the notice Board;-

1. The Sabhadhipati, Cooch Behar Zilla Parishad, Cooch Behar
2. The District Magistrate, Office of the District Magistrate, Cooch Behar
3. The Dy. CMOH-I, Cooch Behar
4. The Dy. CMOH-II, Cooch Behar
5. The Dy. CMOH-III, Cooch Behar
6. The Officer In Charge (Health) , DM Office, Cooch Behar
7. The Accounts Officer, CMOH Office, Cooch Behar
8. The District Information and Cultural Affairs Officer, Cooch Behar
9. The Station Manager, Railway Station, Cooch Behar
10. The Post Master, Head Post Office, Cooch Behar
11. The Superintendents, MJN District Hospital, Cooch Behar
12. The DIO, NIC, Cooch Behar with request to upload the Quotation notice in website www. coochbehargov.in of Cooch Behar
13. Dispatch section of this Office to display the notice in the office Notice Board.


CMOH & Secretary
Dist. H.& F. W. Samiti, Cooch Behar

QUOTATION DOCUMENT

**TECHNICAL AND FINANCIAL BIDS ON ACCOUNT OF THE MEMO NO. 1139 DATED 18/03/2020
FOR MEDICAL EQUIPMENTS UNDER THE CMOH OFFICE, COOCH BEHAR**

Sl. No.	Name of the items	Specification	Total Quantity	Max. quoted rate	Rate quoted inclusive of all taxes*	Time required to supply after getting supply order (not more than 15 days)
1.	Cusco's/Graves Speculum vaginal bi-valve medium	Cusco's / graves Speculum Vaginal bi – Valve Medium:- h) Material: Stainless Steel i) Colour: Silver j) Usage/Application: Clinical k) Size : (Medium) 85 x 30 mm l) Precisely designed m) Optimum finish n) Corrosion proof	01 No	240.00		
2.	Foreign body hook (ENT)	Foreign Body hook (ENT): h) Categories: Holding Instruments i) Type: Non – Disposable j) Reusable: Yeas k) Color: Silver l) Material: Stainless Steel\ m) Usage: Multiple n) Condition : New	01 No	75.26		
3.	Digital Foetal Doppler	FOETAL DOPPLER a) It should be LCD Display (45mm X 22mm or more) b) It should be ultrasonic emitting frequency: 2 – 2.5 MHz and power: < 5m Watt /cm ² c) Overall sensitivity at the distances 120 - 200 mm from the face of the probe: 90db d) Automatic FHR test range 50 – 210 BPM or wider (Beat / Minute) e) Resolution: 1 BPM f) Audio output : 0.5 – 1 Watt g) Should be supplied with electric charger & rechargeable battery (Li – ion) with 1 set of spare battery. h) Good quality water proof case for carrying purpose i) Good quality water proof probe & gel (5 bottles of 200ml or total quantity of 1000ml) should be supplied with the equipment. j) Warranty includes the entire machine including probe. k) Standards, Safety & Training: a) Should be CE (“Conformite Europeene”) from European Union notified body having 4 digit identification number or US FDA certification. Only product enlistment under US FDA will not be accepted. b) Warranty: 2 years; Extended Warranty: 3 year c) On site comprehensive training for field staff and support services till customer satisfaction with the system l) Documentation: a) User / Technical / Maintenance manuals to be supplied in English	01 No	2688.00		
4.	Measuring Tape(MUAC)	Measuring Tape (MUAC): a) Mid Upper Arm Circumference Tape - Child. b) MUAC tapes are predominately used to measure the upper arm circumference of children, helping identify malnutrition. c) Flexible & Washable Material. Measuring in cm. Graduation - Imm. d) Measuring Up To 30+ cm. e) Made from soft non bearable vinyl sheet. f) Colour Coded: 3-11.5cm (Red), 11.5-12.5cm (Yellow) 12.5 To 30+cm (Green).	01 No	56.00		
5.	Measuring Tape(WC)	Measuring Tape (WC): a) Application: Clinic b) Material: Plastic c) Packing Type: Box d) Width: 3 Metre e) Thickness: 9.5 mm	01 No	26.45		

Sl. No.	Name of the items	Specification	Total Quantity	Max. quoted rate	Rate quoted inclusive of all taxes*	Time required to supply after getting supply order (not more than 15 days)
6.	Dental Probe with mirror set	<p>Dental Probe with Mirror set:</p> <p>a) Materials: Made of High Quality Medical Grade Stainless Steel</p> <p>b) Set consists of: Mouth Mirror with handle, Probe Double Ended; Tweezers</p> <p>c) Mouth mirror: - Concave mirrors used by dentists because at a short range (object distances less than the focal length) they produce magnified, upright images. It is useful to have a magnified image of a tooth when you're looking for or repairing cavities, cracks, or other abnormalities</p> <p>d) Probe:- It is an instrument commonly used in the dental armamentarium. It is usually long, thin, and blunted at the end. The primary purpose of a periodontal probe is to measure pocket depths around a tooth in order to establish the state of health of the periodontium.</p> <p>e) Tweezers:- commonly used for retrieving objects from the mouth or placing objects into the mouth with somewhat similar functions with forceps.</p>	01 No	165.00		
7.	Examination Lamp	<p>Examination Lamp:</p> <p>a) Light Source Type : LED</p> <p>b) Light Colour : White</p> <p>c) Usage/Application : Hospital</p> <p>d) Voltage : 200 – 250 V</p> <p>e) Wattage : 8 - 30 W</p> <p>f) Mounded : stand with an iron cast base</p> <p>g) Positioning : Mobile and adjust the size</p> <p>h) Arm : There is a flexible arm for easy movement of the lamp in all directions</p>	01 No	3750.00		
8.	Tongue Depressor	<p>Tongue Depressor:</p> <p>a) Materials: Stainless Steel</p> <p>b) Surface Finish: Polished</p> <p>c) Reusable: Yes</p>	01 No	35.00		
9.	Mouth Gag	<p>Mouth Gag:</p> <p>a) Material: Stainless Steel</p> <p>b) Weight : upto 80 gm</p> <p>c) Usage/Application: Clinical</p> <p>d) Portable : Yes</p> <p>e) Rust proof</p> <p>f) Highly durable</p> <p>g) Smooth finish</p>	01 No	1120.00		
10.	Snellen vision chart	<p>Snellen Vision Chart:</p> <p>a) None reflecting, matte finish eye Charts, Designed for Vision testing at 20 Feet distance.</p> <p>b) Eye Chart measures 24 x 11 in.</p> <p>c) Plastic Washable Sheet.</p> <p>d) Wall Hanging Whole for easy hanging.</p>	01 No	58.00		
11.	Near vision chart	<p>Near Vision Chart:</p> <p>a) Notations for vision testing at 40 cm (16 in.)</p> <p>b) Visual Acuity range 8M to .20M (20/200, 6/120 to 20/10, 6/3 equiv.)</p> <p>c) 40 cm (16 in.) cord to maintain proper viewing distance</p> <p>d) Eye Chart Measures 18 X 23 cm (7 X 9 in.)</p>	01 No	54.00		
12.	Colour vision chart	<p>Colour Vision Chart:</p> <p>a) 38 Plate test Book.</p> <p>b) Accepted by leading authorities as a simple and accurate method for discovering congenital color blindness and red-green blindness, each in two forms, complete and incomplete.</p> <p>c) Includes four special plates for tests to determine the kind and degree of defect in color vision.</p> <p>d) Makes use of the peculiarity that in red-green blindness, blue and yellow appear remarkably bright compared with red and green.</p> <p>e) Color plates encased in specially designed album-type books for ease of handling. Detailed instructions included.</p>	01 No	368.00		

Sl. No.	Name of the items	Specification	Total Quantity	Max. quoted rate	Rate quoted inclusive of all taxes*	Time required to supply after getting supply order (not more than 15 days)
13.	Stadiometer	Stadiometer: a) Height Stand Disassembles Into 4 Sections & Easy To Transport In Disassembled Condition. Suitable For Height Measuring At Any Location b) Accurate, Portable, Durable And Light Weight With All Plastic Parts. c) Height Measuring Scale, Floor Model Without Weighing Scale. d) Measuring Range : 20 – 210Cm With 1Mm Graduation. Measuring In Inches And Centimeters	01 No	1380.00		
14.	Tuning fork	Tuning Fork: a) A tuning fork is a metal instrument with a handle and two prongs or tines. Tuning forks, will vibrate at a set frequency to produce a musical tone when struck. The vibrations produced can be used to assess a person's ability to hear various sound frequencies b) A vibrating tuning fork held next to the ear or placed against the skull will stimulate the inner ear to vibrate, and can help determine if there is hearing loss c) A tuning fork is a metal instrument with a handle and two prongs or tines	01 No	106.60		
15.	Weighing Scale, Infant (10kg)	Digital Weighing Scale, Infant (10kg).	01 No	4100.00		
16.	Steam Sterilizer (big)	Sterilizing drums, for use in sterilizers and for strong sterilized dressings, improved pattern. Made of extra heavy steel with dome shaped top and bottom and chrome plated, absolutely dust proof, hasps lock the jacket tightly in order 235 in diam X120.65 MM. height.	01 No	1545.00		
17.	Spygmomanometer Aneroid 300 mm with cuff.	Spygmomanometer Aneroid 300 mm with cuff.	01 No	1392.00		
18.	Stitch Cutting Scissor	Stitch Cutting Scissor.	01 No	243.00		
19.	Tooth Forceps	Forceps, dissecting, toothed bonney's (18CM).	01 No	275.00		
20.	Suture needle straight-10	Needles, suture, triangular cutting, straight 8 sizes 2,4,6,8,10,12,14,16.	01 No	60.00		
21.	Suture needle curved	Needles, suture, triangular cutting, straight 8 sizes 2,4,6,8,10,12,14,16.	01 No	60.00		
22.	Artery Forceps, straight, 160mm	Forceps artery moynihans, straight, box joint 16 CM.	01 No	165.00		
23.	Digital Thermometer (Infra-red variety)	Digital Thermometer (Infra-red variety).	01 No	72.00		
24.	Ambu Bag (Paediatric size) with Baby mask	Bag and mask for artificial respiration (AMBU type) adult & paediatric size.	01 No	1725.00		
25.	Nebulizer	Nebulizer with humidifier.	01 No	1563.00		
26.	IV canula and Intravenous set	Intravenous cannula (disposable)(Adult) 16G to 22G in peel off sterile packs two way.	01 No	5.07		

*Quotated rate should not be excess than maximum rate.

Date: _____

Sign of bidder with date or seal (if)

Place: _____